



UNITED STATES OF AMERICA
 U.S. DEPARTMENT OF HOMELAND SECURITY
 UNITED STATES COAST GUARD

TEMPORARY CERTIFICATE OF INSPECTION

An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number.

The Coast Guard estimates that the average burden for this report is 5 mins. You may submit any comments concerning the accuracy of this burden estimate or any suggestion reducing the burden to: Commandant (G-MOC), U.S. Coast Guard, Washington, DC 20593-0001 or Office of Management and Budget, Paperwork Reduction Project (1625-0057), Washington, DC 20503.

This Temporary Certificate of Inspection is issued under the provisions of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

VESSEL EDMS 102		OFFICIAL NUMBER 1287340
CLASS TANK BARGE	GROSS TONS	HOME PORT NEW ORLEANS
OWNER/ADDRESS SEE ATTACHED		OPERATOR/ADDRESS SEE ATTACHED

The following complement of licensed officers and crew is required to be carried; included in which there must be _____ Certificated Lifeboatman and _____ Certificated Tankermen:

_____ Master	_____ Master & 1st Class Pilot	_____ Able Seamen	_____ Chief Engineer	_____ Fireman/Waterenders
_____ Chief Mate	_____ Class Pilot	_____ Ordinary Seamen	_____ 1st Asst. Engineer	_____ Oilers
_____ 2nd Mate	_____ Radio Officer	_____ Deckhands	_____ 2nd Asst. Engineer	_____
_____ Mate(s)	_____ Operator(s)	_____	_____ Engineer(s)	_____

In addition the vessel may carry _____ other persons in the crew, _____ passengers, _____ persons in addition to the crew, and _____ Total persons allowed _____.

Maximum steam pressure allowed _____ p.s.i.	DATE DRYDOCKED 22 AUG 18
---	------------------------------------

ROUTE PERMITTED AND CONDITIONS OF OPERATION

SEE ATTACHED

INSPECTED AND APPROVED FOR THE CARRIAGE OF

SEE ATTACHED

Inspection of the above vessel was completed on **22 AUG 18** I HEREBY CERTIFY that on this date the vessel was in all respects in conformity with applicable vessel inspection laws and regulations prescribed thereunder.

OFFICER IN CHARGE, MARINE INSPECTION RANDY S. WASHINGTON, BY DIRECTOR	INSPECTION ZONE
---	-----------------



**United States of America
Department of Homeland Security
United States Coast Guard**

Certification Date:	22 Aug 2018
Expiration Date:	22 Aug 2019

Temporary Certificate of Inspection

For ships on international voyages this certificate fulfills the requirements of SOLAS 74 as amended, regulation V/14, for a SAFE MANNING DOCUMENT.

This Temporary Certificate of Inspection is issued under the provision of Title 46 United States Code, Section 399, in lieu of the regular certificate of inspection, and shall be in force only until the receipt on board said vessel of the original certificate of inspection, this certificate in no case to be valid after one year from the date of inspection.

Vessel Name	Official Number	IMO Number	Call Sign	Service
E2MS 102	1287340			Tank Barge

Hailing Port	Hull Material	Horsepower	Propulsion
NEW ORLEANS, LA	Steel		
UNITED STATES			

Place Built	Delivery Date	Keel Laid Date	Gross Tons	Net Tons	DWT	Length
ASHLAND CITY, TN	20Aug2018	06Jul2018	R-705	R-705		R-200.0
UNITED STATES			I-	I-		I-0

Owner	Operator
AMERICAN INLAND MARINE LLC 2315 FLORIDA ST BLDG 200 SUITE 120 MANDEVILLE, LA 70448 UNITED STATES	E SQUARED MARINE SERVICE LLC 1102 S FRIENDSWOOD DRIVE SUITE BPO BOX 324 FRIENDSWOOD, TX 77549 UNITED STATES

This vessel must be manned with the following licensed and unlicensed Personnel. Included in which there must be 0 Certified Lifeboatmen, 0 Certified Tankermen, 0 HSC Type Rating, and 0 GMDSS Operators.

0 Masters	0 Licensed Mates	0 Chief Engineers	0 Oilers
0 Chief Mates	0 First Class Pilots	0 First Assistant Engineers	
0 Second Mates	0 Radio Officers	0 Second Assistant Engineers	
0 Third Mates	0 Able Seamen	0 Third Assistant Engineers	
0 Master First Class Pilot	0 Ordinary Seamen	0 Licensed Engineers	
0 Mate First Class Pilots	0 Deckhands	0 Qualified Member Engineer	

In addition, this vessel may carry 0 Passengers, 0 Other Persons in crew, 0 Persons in addition to crew, and no Others. Total Persons allowed: 0

Route Permitted And Conditions Of Operation:
---Lakes, Bays, and Sounds plus Limited Coastwise---

Also, in fair weather only, limited coastwise, not more than twelve (12) miles from shore between St. Marks and Carrabelle, Florida. (does not require a loadline certificate.)

This vessel has been granted a fresh water service examination interval in accordance with 46 CFR 31.10-21(a) (2). If this vessel is operated in salt water more than six months in any twelve month period, the vessel must be inspected using salt water intervals per 46 CFR 31.10-21(a) (1) and the cognizant OCGI notified in writing as soon as this change in status occurs.

*****SEE NEXT PAGE FOR ADDITIONAL CERTIFICATE INFORMATION*****

With this Inspection for Certification having been completed at ASHLAND CITY, TN, UNITED STATES, the Officer in Charge, Marine Inspection, Sector Ohio Valley certified the vessel, in all respects, is in conformity with the applicable vessel inspection laws and the rules and regulations prescribed thereunder.

Annual/Periodic/Re-Inspection				This certificate issued by: R.S. WADDINGTON CDR, USCG, By Direction Officer in Charge, Marine Inspection Sector Ohio Valley Inspection Zone
Date	Zone	A/P/R	Signature	



Temporary Certificate of Inspection

Vessel Name: E2MS 102

---Hull Exams---

Exam Type	Next Exam	Last Exam	Prior Exam
DryDock	31Aug2028	22Aug2018	
Internal Structure	31Aug2023	22Aug2018	

--- Liquid/Gas/Solid Cargo Authority/Conditions ---

Authorization: FLAMMABLE/COMBUSTIBLE LIQUIDS IN 46 CFR TABLE 30.25-1 AND SPECIFIED HAZARDOUS CARGOES.

Total Capacity	Units	Highest Grade Type	Part151 Regulated	Part153 Regulated	Part154 Regulated
10959	Barrels	A	Yes	No	No

Hazardous Bulk Solids Authority

Not Authorized

Loading Constraints - Structural

Tank Number	Max Cargo Weight per Tank (short tons)	Maximum Density (lbs/gal)
1C	590	13.58
2C	668	13.58
3C	590	13.58

Loading Constraints - Stability

Hull Type	Maximum Load (short tons)	Maximum Draft (ft/in)	Max Density (lbs/gal)	Route Description
III	1741	10ft 4in	8.74	LBS
III	1741	10ft 4in	9.16	LBS
III	1759	10ft 5in	9.58	LBS
III	1759	10ft 5in	9.99	LBS
III	1759	10ft 5in	10.41	LBS
III	1741	10ft 4in	10.83	LBS
III	1723	10ft 3in	11.24	LBS
III	1723	10ft 3in	11.66	LBS
III	1705	10ft 2in	12.08	LBS
III	1705	10ft 2in	12.49	LBS
III	1687	10ft 1in	12.91	LBS
III	1669	10ft 0in	13.33	LBS
III	1669	10ft 0in	13.58	LBS
III	1799	10ft 7in	8.74	R
III	1867	10ft 11in	9.16	R
III	1885	11ft 0in	9.58	R
III	1903	11ft 1in	9.99	R



United States of America
 Department of Homeland Security
 United States Coast Guard

Certification Date: 22 Aug 2018
 Expiration Date: 22 Aug 2019

Temporary Certificate of Inspection

Vessel Name: E2MS 102

III	1903	11ft 1in	10.41	R
III	1903	11ft 1in	10.83	R
III	1903	11ft 1in	11.24	R
III	1903	11ft 1in	11.66	R
III	1867	10ft 11in	12.08	R
III	1867	10ft 11in	12.49	R
III	1867	10ft 11in	12.91	R
III	1849	10ft 10in	13.33	R
III	1849	10ft 10in	13.58	R
II	1508	9ft 3in	8.74	LBS
II	1508	9ft 3in	9.16	LBS
II	1508	9ft 3in	9.58	LBS
II	1508	9ft 3in	9.99	LBS
II	1508	9ft 3in	10.41	LBS
II	1508	9ft 3in	10.83	LBS
II	1508	9ft 3in	11.24	LBS
II	1508	9ft 3in	11.66	LBS
II	1508	9ft 3in	12.08	LBS
II	1508	9ft 3in	12.49	LBS
II	1508	9ft 3in	12.91	LBS
II	1508	9ft 3in	13.33	LBS
II	1508	9ft 3in	13.58	LBS
II	1508	9ft 3in	8.74	R
II	1508	9ft 3in	9.16	R
II	1508	9ft 3in	9.58	R
II	1508	9ft 3in	9.99	R
II	1508	9ft 3in	10.41	R
II	1508	9ft 3in	10.83	R
II	1508	9ft 3in	11.24	R
II	1508	9ft 3in	11.66	R
II	1508	9ft 3in	12.08	R
II	1508	9ft 3in	12.49	R
II	1508	9ft 3in	12.91	R
II	1508	9ft 3in	13.33	R
II	1508	9ft 3in	13.58	R
I	1401	8ft 9in	8.74	LBS



**United States of America
Department of Homeland Security
United States Coast Guard**

Certification Date:	22 Aug 2018
Expiration Date:	22 Aug 2019

Temporary Certificate of Inspection

Vessel Name: E2MS 102

I	1401	8ft 9in	9.16	LBS
I	1401	8ft 9in	9.58	LBS
I	1401	8ft 9in	9.99	LBS
I	1401	8ft 9in	10.41	LBS
I	1401	8ft 9in	10.83	LBS
I	1401	8ft 9in	11.24	LBS
I	1401	8ft 9in	11.66	LBS
I	1401	8ft 9in	12.08	LBS
I	1401	8ft 9in	12.49	LBS
I	1401	8ft 9in	12.91	LBS
I	1401	8ft 9in	13.33	LBS
I	1401	8ft 9in	13.58	LBS
I	1401	8ft 9in	8.74	R
I	1401	8ft 9in	9.16	R
I	1401	8ft 9in	9.58	R
I	1401	8ft 9in	9.99	R
I	1401	8ft 9in	10.41	R
I	1401	8ft 9in	10.83	R
I	1401	8ft 9in	11.24	R
I	1401	8ft 9in	11.66	R
I	1401	8ft 9in	12.08	R
I	1401	8ft 9in	12.49	R
I	1401	8ft 9in	12.91	R
I	1401	8ft 9in	13.33	R
I	1401	8ft 9in	13.58	R

Conditions Of Carriage

Only those cargoes named in the vessel's Cargo Authority Attachment, Serial No. C1-1802279, dated July 16, 2018 may be carried and then only in the tanks indicated.

Per 46 CFR 150.130, the person in charge of the vessel is responsible for ensuring the compatibility requirements of 46 CFR 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the reactive group numbers from the "Compat Group No" column listed in the vessel's Cargo Authority Attachment.

The maximum design density of cargo which may be filled to the tank top is 8.74 lbs/gal. Cargoes with higher densities, up to 13.58 lbs/gal, may be carried as slack loads, but shall not exceed the tank weight limits as listed above.

Note: per 46 CFR 151.10-15(c)(2) the maximum tank weights listed above reflect uniform (within 5%) loading at the deepest draft allowed. When carrying Subchapter "O" cargoes at shallower drafts, the barge should always be loaded uniformly.

Vapor Control Authorization



Temporary Certificate of Inspection

Vessel Name: E2MS 102

In accordance with 46 CFR Part 39, excluding part 39.4000, this vessel's vapor collection system has been inspected to the plans approved by, dated, and extended by MSC Letter C1-1802779, dated July 18, 2018, and has been found acceptable for the collection of bulk liquid cargo vapors annotated with "Yes" in the CAA's VCS column of the vessel's Cargo Authority Attachment. The VCS system has been approved with a pressure side 2.5 psig P/V valve with Coast Guard Approval 162.017/167/4. The cargo tank top is suitable for a maximum allowable working pressure (MAWP) of 3 psi.

When the vessel is carrying cargoes containing greater than 0.5% benzene, the person in charge is responsible for ensuring the provisions of 46 US Code of Federal Regulations Part 197, Subpart C are applied.

In accordance with 46 CFR Part 39.1017 and 39.5000(e) this vessel's VCS has been evaluated and approved for multi-breasted tandem loading with other vessels specifically approved to tandem load with this vessel.

--- Inspection Status ---

Fuel Tanks

Tank ID	Internal Examinations		
	Previous	Last	Next
Fuel-aft	-	22Aug2018	-

Cargo Tanks

Tank Id	Internal Exam			External Exam		
	Previous	Last	Next	Previous	Last	Next
1C	-	22Aug2018	31Aug2028	-	22Aug2018	-
2C	-	29Aug2018	31Aug2028	-	-	-
3C	-	22Aug2018	31Aug2028	-	-	-

Hydro Test

Tank Id	Safety Valves		Previous	Last	Next
	Previous	Last			
1C	-	-	-	22Aug2018	-
2C	-	-	-	22Aug2018	-
3C	-	-	-	22Aug2018	-

---Conditional Portable Fire Extinguisher Requirements---

Required Only During Transfer of Cargo or Operation of Barge Machinery

--- Fire Fighting Equipment ---

Fire Extinguishers - Hand portable and semi-portable

Quantity	Class Type
2	40-B

END