

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: **E2MS 100**Official #: 1273189

Shipyard: Conrad Orange Shipyard

Dated:

C1-1500200

16-Jan-15

Hull #: H-484

46 CFR 151 Tank Group Characteristics

Tank Group Information	ank Group Information Cargo Identification Tanks				Environmental Control		Fire	Special Requirements									
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Sea	Туре		Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp Cont				
A #1C, #2C, #3C	12.93	Atmos.	Amb.	T	1ii 2ii	Integral Gravity	PV	Closed	II	G-1	NR	NA	Portable	.50-70(a), .50-	55-1(b), (c), (e), (f), (h), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	Yes

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

2. Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

3. Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical equipment located in a hazardous location.

List of Authorized Cargoes

Cargo Identification					Conditions of Carriage							
		57.257		7			Vapor Re			3		
Name	Chem	Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period		
Authorized Subchapter O Cargoes									5.7年18日末了			
Acetonitrile	ATN	37	0	С	III	Α	Yes	3	No	G		
Acrylonitrile	ACN	15 ²	0	С	II	Α	Yes	4	.50-70(a), .55-1(e)	G		
Adiponitrile	ADN	37	0	E	II .	Α	Yes	1	No	G		
Alkyl(C7-C9) nitrates	AKN	34 2	0	NA	III	Α	No	N/A	.50-81, .50-86	G		
Aminoethylethanolamine	AEE	8	0	E	III	Α	Yes	1	.55-1(b)	G		
Ammonium bisulfite solution (70% or less)	ABX	43 2	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G		
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	III	Α	No	N/A	.56-1(a), (b), (c), (f), (g)	G		
Anthracene oil (Coal tar fraction)	AHO	33	0	NA	- II	Α	No	N/A	No	G		
Benzene	BNZ	32	0	С	III	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 2	0	С	III	Α	Yes	1	.50-60	G		
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	32 ²	0	С	III	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G		
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	III	Α	Yes	1	.50-60	G		
Butyl acrylate (all isomers)	BAR	14	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyl methacrylate	ВМН	14	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G		
Butyraldehyde (all isomers)	BAE	19	0	С	III	Α	Yes	1	.55-1(h)	G		
Camphor oil (light)	СРО	18	0	D	II	Α	No	N/A	No	G		
Caustic potash solution	CPS	5 2	0	NA	III	Α	No	N/A	.50-73, .55-1(j)	G		
Caustic soda solution	CSS	5 2	0	NA	III	Α	No	N/A	.50-73, .55-1(j)	G		
Chemical Oil (refined, containing phenolics)	COD	21	0	E	II	Α	No	N/A	.50-73	G		
Chlorobenzene	CRB	36	0	D	III	Α	Yes	1	No	G		
Chloroform	CRF	36	0	NA	III	Α	Yes	3	No	G		
Coal tar naphtha solvent	NCT	33	0	D	III	Α	Yes	1	.50-73	G		
Creosote	CCW	21 2	0	E	III	Α	Yes	1	No	G		
Cresols (all isomers)	CRS	21	0	Е	III	Α	Yes	1	No	G		
Cresylate spent caustic	CSC	5	0	NA	III	Α	No	N/A	.50-73, .55-1(b)	G		
Cresylic acid tar	CRX	21	0	E	III	Α	Yes	1	.55-1(f)	G		
Crotonaldehyde	CTA	19 ²	0	С	П	Α	Yes	4	.55-1(h)	G		
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	19 ²	0	С	Ш	Α	Yes	1	No	G		
Cyclohexanone	CCH	18	0	D	III	Α	Yes	1	.56-1(a), (b)	G		
Cyclohexanone, Cyclohexanol mixture	CYX	18 ²	0	E	III	Α	Yes	1	.56-1 (b)	G		
Cyclohexylamine	CHA	7	0	D	III	Α	Yes	1	.56-1(a), (b), (c), (g)	G		
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	III	Α	Yes	1	.50-60, .56-1(b)	G		



Dated:

C1-1500200 16-Jan-15

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: E2MS 100

Shipyard: Conrad Orange

Shipyard

Hull #: H-484

Official #: 1273189 Page 2 of 8

Cargo Identificatio	n						Conditions of Carriage							
							-	Recovery						
Name	Chem	Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period				
iso-Decyl acrylate	IAI	14	0	E	III	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G				
Dichlorobenzene (all isomers)	DBX	36	0	E	Ш	Α	Yes	3	.56-1(a), (b)	G				
1,1-Dichloroethane	DCH	36	0	С	III	Α	Yes	1	No	G				
2,2'-Dichloroethyl ether	DEE	41	0	D	II	Α	Yes	1	.55-1(f)	G				
Dichloromethane	DCM	36	0	NA	III	А	Yes	5	No	G				
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	Е	III	Α	No	N/A	.56-1(a), (b), (c), (g)	G				
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1,2	0	Α	III	Α	No	N/A	.56-1(a), (b), (c), (g)	G				
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 2	0	E	III	Α	No	N/A	.56-1(a), (b), (c), (g)	G				
1,1-Dichloropropane	DPB	36	0	С	III	Α	Yes	3	No	G				
1,2-Dichloropropane	DPP	36	0	С	III	Α	Yes	3	No	G				
1,3-Dichloropropane	DPC	36	0	С	III	Α	Yes	3	No	G				
1,3-Dichloropropene	DPU	15	0	D	11	Α	Yes	4	No	G				
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	II	Α	Yes	1	No	G				
Diethanolamine	DEA	8	0	Е	III	Α	Yes	1	.55-1(c)	G				
Diethylamine	DEN	7	0	С	Ш	Α	Yes	3	.55-1(c)	G				
Diethylenetriamine	DET	7 2	0	Е	III	Α	Yes	1	.55-1(c)	G				
Diisobutylamine	DBU	7	0	D	III	Α	Yes	3	.55-1(c)	G				
Diisopropanolamine	DIP	8	0	Е	III	Α	Yes	1	.55-1(c)	G				
Diisopropylamine	DIA	7	0	С	II	Α	Yes	3	.55-1(c)	G				
N,N-Dimethylacetamide	DAC	10	0	Е	III	А	Yes	3	.56-1(b)	G				
Dimethylethanolamine	DMB	8	0	D	III	Α	Yes	1	.56-1(b), (c)	G				
Dimethylformamide	DMF	10	0	D	III	Α	Yes	1	.55-1(e)	G				
Di-n-propylamine	DNA	7	0	С	H	А	Yes	3	.55-1(c)	G				
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	III	Α	No	N/A	.56-1(b)	G				
Dodecyl diphenyl ether disulfonate solution	DOS	43	0	#	11	Α	No	N/A	No	G				
EE Glycol Ether Mixture	EEG	40	0	D	III	А	No	N/A	No	G				
Ethanolamine	MEA	8	0	E	III	Α	Yes	1	.55-1(c)	G				
Ethyl acrylate	EAC	14	0	С	III	А	Yes	2	.50-70(a), .50-81(a), (b)	G				
Ethylamine solution (72% or less)	EAN	7	0	Α	- II	Α	No	N/A	.55-1(b)	G				
N-Ethylbutylamine	EBA	7	0	D	III	Α	Yes	3	.55-1(b)	G				
N-Ethylcyclohexylamine	ECC	7	0	D	E III	Α	Yes	1	.55-1(b)	G				
Ethylene cyanohydrin	ETC	20	0	E	111	Α	Yes	1	No	G				
Ethylenediamine	EDA	72	0	D	III	Α	Yes	1	.55-1(c)	G				
Ethylene dichloride	EDC	36 ²	0	С	III	Α	Yes	1	No	G				
Ethylene glycol hexyl ether	EGH	40	0	Е	III	Α	No	N/A	No	G				
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	III	Α	Yes	1	No	G				
Ethylene glycol propyl ether	EGP	40	0	E	III	Α	Yes	1	No	G				
2-Ethylhexyl acrylate	EAI	14	0	E	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G				
Ethyl methacrylate	ETM	14	0	D/E	III	Α	Yes	2	.50-70(a)	G				
2-Ethyl-3-propylacrolein	EPA	19 ²	0	E	III	Α	Yes	1	No	G				
Formaldehyde solution (37% to 50%)	FMS	19 ²	0	D/E	III	Α	Yes	1	.55-1(h)	G				
Furfural	FFA	19	0	D	111	Α	Yes	1	.55-1(h)	G				
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	III	Α	No	N/A	No	G				
Hexamethylenediamine solution	НМС	7	0	Е	III	Α	Yes	1	.55-1(c)	G				
Hexamethyleneimine	HMI	7	0	С	II	A	Yes	1	.56-1(b), (c)	G				
Hydrocarbon 5-9	HFN	31	0	С	111	A	Yes	1	.50-70(a), .50-81(a), (b)	G				
Isoprene	IPR	30	0	A	III	A	No	N/A	.50-70(a), .50-81(a), (b)	G				
Isoprene, Pentadiene mixture	IPN	30	0	В	III	A	No	N/A	.50-70(a), .55-1(c)	G				
The same of the sa								14171						



Certificate of Inspection

Cargo Authority Attachment

Vessel Name: E2MS 100

Shipyard: Conrad Orange

Dated:

16-Jan-15

Shipyard Official #: 1273189 Hull #: H-484 Page 3 of 8

Cargo Identification							_		tions of Carriage	
Name Kraft pulping liquors (free alkali content 3% or more)(including: Black, Green, or White liquor)		Compat Group No 5	Sub Chapter O	Grade NA	Hull Type III	Tank Group A	App'd	VCS Category N/A	Special Requirements in 46 CFR 151 General and Mat'ls of .50-73, .56-1(a), (c), (g)	Insp. Perio G
Mesityl oxide	MSO	18 ²	0	D	III	Α	Yes	1	No	G
Methyl acrylate	MAM	14	0	С	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Methylcyclopentadiene dimer	MCK	30	0	С	III	Α	Yes	1	No	G
Methyl diethanolamine	MDE	8	0	E	III	А	Yes	1	.56-1(b), (c)	G
2-Methyl-5-ethylpyridine	MEP	9	0	E	III	Α	Yes	1	.55-1(e)	G
Methyl methacrylate	MMM	14	0	С	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
2-Methylpyridine	MPR	9	0	D	III	Α	Yes	3	.55-1(c)	G
alpha-Methylstyrene	MSR	30	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Morpholine	MPL	7 2	0	D	III	Α	Yes	1	.55-1(c)	G
Nitroethane	NTE	42	0	D	II	Α	No	N/A	.50-81, .56-1(b)	G
1- or 2-Nitropropane	NPM	42	0	D	III	A	Yes	1	.50-81	G
1,3-Pentadiene	PDE	30	0	A	111	A	No	N/A	.50-70(a), .50-81	G
Polyethylene polyamines	PEB	7 2	0	E	111	A	Yes	1	.55-1(e)	G
iso-Propanolamine	MPA	8	0	E	III	A	Yes	1	.55-1(c)	G
	PAX	8	0	E	111	A	Yes	1	.56-1(b), (c)	G
Propanolamine (iso-, n-)	IPP	7	0	A	II	A		5	.55-1(c)	G
so-Propylamine	PRD	9	0	C	111		Yes	1	.55-1(e)	G
Pyridine Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP	5	0	C	III	A	Yes No	N/A	.50-73, .55-1(j)	G
Sodium aluminate solution (45% or less)	SAU	5	0	NA	III	А	No	N/A	.50-73, .56-1(a), (b), (c)	G
Sodium chlorate solution (50% or less)	SDD	0 1,2	0	NA	III	Α	No	N/A	.50-73	G
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (b)	G
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0 1,2	0	NA	III	Α	Yes	1	.50-73, .55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but ess than 200 ppm)	SSI	0 1,2		NA	Ш	Α	No	N/A	.50-73, .55-1(b)	G
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0 1,2	0	NA	П	Α	No	N/A	.50-73, .55-1(b)	G
Styrene (crude)	STX	30	0	D	III	А	Yes	2	No	G
Styrene monomer	STY	30	0	D	III	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Tetraethylenepentamine	TTP	7	0	E	III	Α	Yes	1	.55-1(c)	G
Tetrahydrofuran Tetrahydrofuran	THE	41	0	С	III	Α	Yes	1	.50-70(b)	G
1,2,4-Trichlorobenzene	TCB	36	0	E	III	Α	Yes	1	No	G
1,1,2-Trichloroethane	TCM	36	0	NA	III	Α	Yes	1	.50-73, .56-1(a)	G
Trichloroethylene	TCL	36 ²	0	NA	III	Α	Yes	1	No	G
1,2,3-Trichloropropane	TCN	36	0	E	11	Α	Yes	3	.50-73, .56-1(a)	G
Friethanolamine	TEA	8 2	0	E	III	А	Yes	1	.55-1(b)	G
riethylamine	TEN	7	0	С	11	Α	Yes	3	.55-1(e)	G
riethylenetetramine	TET	7 2	0	E	111	Α	Yes	1	.55-1(b)	G
riphenylborane (10% or less), caustic soda solution	TPB	5	0	NA	III	Α	No	N/A	.56-1(a), (b), (c)	G
risodium phosphate solution	TSP	5	0	NA	III	Α	No	N/A	.50-73, .56-1(a), (c).	G
Jrea, Ammonium nitrate solution (containing more than 2% NH3)	UAS	6	0	NA	III	A	No	N/A	.56-1(b)	G
/anillin black liquor (free alkali content, 3% or more).	VBL	5	0	NA	III	A	No	N/A	.50-73, .56-1(a), (c), (g)	G
/inyl acetate	VAM	13	0	C	III	A	Yes	2	.50-70(a), .50-81(a), (b)	G
/inyl neodecanate	VND	13	0	E	III	A	No	N/A	.50-70(a), .50-81(a), (b)	G
Ting Thousand to	VNT	13	0	D	- 41		140	2	.50-70(a), .50-81, .56-1(a), (b), (c), (G

Subchapter D Cargoes Authorized for Vapor Control

18 2 Yes



Serial #: C1-1500200

16-Jan-15

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: E2MS 100

Shipyard: Conrad Orange

Shipyard

Hull #: H-484

Official #: 1273189

Page 4 of 8

Cargo Identification	n		1) Translation			Conditions of Carriage							
	-							Recovery					
Name	Chem	Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period			
Acetophenone	ACP	18	D	E		Α	Yes	1		1 0.100			
Alcohol(C12-C16) poly(1-6)ethoxylates	APU	20	D	E		Α	Yes	1					
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1					
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1	Marie Carrier				
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1					
Benzyl alcohol	BAL	21	D	E		Α	Yes	1					
Brake fluid base mixtures (containing Poly(2-8)alkylene(C2-C3) glycols, Polyalkylene(C2-C10) glycol monoalkyl(C1-C4) ethers, and their borate esters)	BFX	20	D	E		Α	Yes	1		by the st			
Butyl acetate (all isomers)	BAX	34	D	D	95.4	Α	Yes	1					
Butyl alcohol (iso-)	IAL	20 ²	D	D		Α	Yes	1					
Butyl alcohol (n-)	BAN	20 2	D	D	Billion	А	Yes	1		Part of			
Butyl alcohol (sec-)	BAS	20 2	D	С	3	А	Yes	1	THE TOPPALLOWS				
Butyl alcohol (tert-)	BAT	20 2	D	С		Α	Yes	1					
Butyl benzyl phthalate	BPH	34	D	E		Α	Yes	1	Add to the second of the secon	W 9 4 7 7			
Butyl toluene	BUE	32	D	D		Α	Yes	1	La company de la				
Caprolactam solutions	CLS	22	D	E	Ref (C)	Α	Yes	1					
Cyclohexane	СНХ	31	D	С		А	Yes	1					
Cyclohexanol	CHN	20	D	E		A	Yes	1	THE TALL AS A COLOR	Successive Services			
1,3-Cyclopentadiene dimer (molten)	CPD	30	D	D/E		Α	Yes	2					
p-Cymene	CMP	32	D	D		Α	Yes	1	Total Control of the Control				
iso-Decaldehyde	IDA	19	D	E		Α	Yes	1					
n-Decaldehyde	DAL	19	D	E		A	Yes	1					
Decene	DCE	30	D	D	Trans.	A	Yes	1	TO SULTED THE THE SECOND				
Decyl alcohol (all isomers)	DAX	20 2	D	E		A	Yes	1		7807			
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ	32	D	E		A	Yes	1					
Diacetone alcohol	DAA	20 2	D	D		A	Yes	1		A SEED			
ortho-Dibutyl phthalate	DPA	34	D	E		A	Yes	1		A 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3			
Diethylbenzene	DEB	32	D	D		A	Yes	1					
Diethylene glycol	DEG	40 2	D	E		A	Yes	1					
Diisobutylene	DBL	30	D	C		A	Yes	1					
Diisobutyl ketone	DIK	18	D	D		A	Yes	1					
Diisopropylbenzene (all isomers)	DIX	32	D	E		A	Yes	1					
	DTL	34	D	E		A		1					
Dimethyl phthalate	DOP	34	D	E			Yes						
Dicetyl phthalate	DPN	30	D	D		A	Yes	1					
Dipentene Diphenyl	DIL		D	-		A	Yes	1					
	DDO	32	D	D/E E		A	Yes	1					
Diphenyl, Diphenyl ether mixtures		33				A	Yes	1		-			
Diphenyl ether	DPE	41	D	{E}		A	Yes	1					
Dipropylene glycol	DPG	40	D	E		Α	Yes	1					
Distillates: Flashed feed stocks	DFF	33	D	E		Α	Yes	1		-			
Distillates: Straight run	DSR	33	D	E		A	Yes	1					
Dodecene (all isomers)	DOZ	30	D	D		Α	Yes	1					
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	E		A	Yes	1					
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1					
Ethoxy triglycol (crude)	ETG	40	D	E		Α	Yes	1					
Ethyl acetate	ETA	34	D	С		Α	Yes	1					
Ethyl acetoacetate	EAA	34	D	E		Α	Yes	1	THE RESERVE OF THE PARTY OF THE				
Ethyl alcohol	EAL	20 2	D	С		Α	Yes	1		A Principal			



Serial #: C1-1500200 Dated:

16-Jan-15

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: E2MS 100

Shipyard: Conrad Orange

Shipyard

Official #: 1273189 Page 5 of 8 Hull #: H-484

Cargo Identificatio	n							Condi	tions of Carriage	
BUTTON THE RESERVE OF THE PROPERTY OF		97.4			11/1/2	10.70	Vapor	Recovery		12.55
	Chem	Compat	Sub	Grade	Hull	Tank	App'd	VCS	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp.
Name Sthylbenzene	ETB	Group No	Chapter	C	Type	Group	(Y or N) Yes	1	151 General and Matis Of	Period
Ethyl butanol	EBT	20	D	D		A	Yes	1		
Ethyl tert-butyl ether	EBE	41	D	C		A	Yes	1		
Ethyl butyrate	EBR	34	D	D		A	Yes	1		
Ethyl cyclohexane	ECY	31	D	D		A	Yes	1		
Ethylene glycol	EGL	20 2	D	E		A	Yes	1		
	EMA	34	D	E		A	Yes	1		
Ethylene glycol butyl ether acetate	EGY	34	D	E		A	Yes	1		
Ethylene glycol diacetate	EPE	40	D	E		A		1		
Ethylene glycol phenyl ether	EEP			D			Yes			
Ethyl-3-ethoxypropionate		34	D D	E		A	Yes	1		
2-Ethylhexanol	EHX					A	Yes			
Ethyl propionate	EPR	34	D	С		A	Yes	1	TO KAR STORY	
Ethyl toluene	ETE	32	D	D		A	Yes	1		
Formamide	FAM	10	D	E		A	Yes	1		
Furfuryl alcohol	FAL	20 2	D	E		Α	Yes	1		
Gasoline blending stocks: Alkylates	GAK	33	D	A/C		Α	Yes	1		<u> </u>
Gasoline blending stocks: Reformates	GRF	33	D	A/C		Α	Yes	1		
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes	1		
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon)	GAV	33	D	С		Α	Yes	1		
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes	1		
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes	1		
Gasolines: Straight run	GSR	33	D	A/C		Α	Yes	1		1 6 6
Glycerine	GCR	20 2	D	E		Α	Yes	1		
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	HMX	31	D	С		Α	Yes	1		
Heptanoic acid	HEP	4	D	Е		Α	Yes	1	the second section is	
Heptanol (all isomers)	HTX	20	D	D/E		Α	Yes	1		
Heptene (all isomers)	HPX	30	D	C		Α	Yes	2		
Heptyl acetate	HPE	34	D	Е		Α	Yes	1		
Hexane (all isomers), see Alkanes (C6-C9)	HXS	31 ²	D	B/C		Α	Yes	1		
Hexanoic acid	НХО	4	D	E		Α	Yes	1		
Hexanol	HXN	20	D	D		Α	Yes	1	The state of the s	7) (34.0
Hexene (all isomers)	HEX	30	D	С		А	Yes	2		
Hexylene glycol	HXG	20	D	Е		А	Yes	1		
Isophorone	IPH	18 ²	D	E		Α	Yes	1		
Jet fuel: JP-4	JPF	33	D	E		Α	Yes	1		
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1	A STATE OF THE STA	Ser. F
Kerosene	KRS	33	D	D		Α	Yes	1	Contract Cold to the second	
Methyl acetate	MTT	34	D	D		Α	Yes	1	的复数形式的现在分词	
Methyl alcohol	MAL	20 ²	D	С		Α	Yes	1		
Methylamyl acetate	MAC	34	D	D		Α	Yes	1		
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1	THE RESERVE OF THE PARTY OF THE	Toursby.
Methyl amyl ketone	MAK	18	D	D		Α	Yes	1	The state of the s	
Methyl tert-butyl ether	MBE	41 2	D	С		Α	Yes	1	war bara	THE ST
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1		
Methyl butyrate	MBU	34	D	С	Marie H	Α	Yes	1		
Methyl ethyl ketone	MEK	18 ²	D	С		Α	Yes	1		
Methyl heptyl ketone	MHK	18	D	D		Α	Yes	1		
A CONTRACT STANDARD OF SAME OF			170000						THE SECOND SECON	



Serial #: C1-1500200

16-Jan-15

Certificate of Inspection

Cargo Authority Attachment

Vessel Name: E2MS 100 Official #: 1273189

Page 6 of 8

Shipyard: Conrad Orange

Shipyard

Hull #: H-484

Cargo Identificatio	n					A		Condi	tions of Carriage	
	Oham	0	0.1					Recovery		
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category		Insp. Period
Methyl isobutyl ketone	MIK	18 2	D	С		Α	Yes	1		
Methyl naphthalene (molten)	MNA	32	D	E		Α	Yes	1		
Mineral spirits	MNS	33	D	D		Α	Yes	1		
Myrcene	MRE	30	D	D		Α	Yes	1		
Naphtha: Heavy	NAG	33	D	#		Α	Yes	1		
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	1		
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1		
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	1		
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	1		
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		Α	Yes	1		
Nonene (all isomers)	NON	30	D	D		Α	Yes	2		
Nonyl alcohol (all isomers)	NNS	20 2	D	E		Α	Yes	1		
Nonyl phenol	NNP	21	D	E		Α	Yes	1		
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	E		Α	Yes	1		
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		Α	Yes	1		
Octanoic acid (all isomers)	OAY	4	D	E		А	Yes	1		
Octanol (all isomers)	OCX	20 ²	D	E		Α	Yes	1	THE STATE OF THE S	
Octene (all isomers)	OTX	30	D	С		Α	Yes	2		
Oil, fuel: No. 2	OTW	33	D	D/E		Α	Yes	1	AND THE STREET	
Oil, fuel: No. 2-D	OTD	33	D	D		Α	Yes	1	THE REPORT OF A PERSON	
Oil, fuel: No. 4	OFR	33	D	D/E		A	Yes	1		1000
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1		
Oil, fuel: No. 6	OSX	33	D	E		Α	Yes	1		N S
Oil, misc: Crude	OIL	33	D	A/D	0.00	Α	Yes	1		
Oil, misc: Diesel	ODS	33	D	D/E		A	Yes	1		
Oil, misc: Gas, high pour	OGP	33	D	E		A	Yes	1		
Oil, misc: Lubricating	OLB	33	D	E		Α	Yes	1		
Oil, misc: Residual	ORL	33	D	E		A	Yes	1		
Oil, misc: Turbine	ОТВ	33	D	E		A	Yes	1		
Pentane (all isomers)	PTY	31	D	A		A	Yes	5		
Pentene (all isomers)	PTX	30	D	A		A	Yes	5		
n-Pentyl propionate	PPE	34	D	D		A	Yes	1		
alpha-Pinene	PIO	30	D	D		A	Yes	1		
beta-Pinene	PIP	30	D	D	1 0	A	Yes	1		17. 10. 4
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	E		A	Yes	1		
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	E		A	Yes	1		
	PLB	30	D	E						
Polybutene Polypropylene glycol	PGC	40	D	E		A	Yes	1		
						A	Yes	4		
iso-Propyl acetate	IAC	34	D	С		A	Yes	1		
n-Propyl acetate	PAT	34	D	С		A	Yes	1		
iso-Propyl alcohol	IPA	20 2	D	С		A	Yes	1		
n-Propyl alcohol	PAL	20 2	D	С		Α	Yes	1		
Propylbenzene (all isomers)	PBY	32	D	D		A	Yes	1		
iso-Propylcyclohexane	IPX	31	D	D	100	Α	Yes	1		
Propylene glycol	PPG	20 2	D	E		Α	Yes	1		
Propylene glycol methyl ether acetate	PGN	34	D	D		Α	Yes	1		7 17 200
Propylene tetramer	PTT	30	D	D		Α	Yes	1		
Sulfolane	SFL	39	D	E	147	Α	Yes	1		



C1-1500200 Dated:

16-Jan-15

Certificate of Inspection

Cargo Authority Attachment

Page 7 of 8

Vessel Name: E2MS 100 Official #: 1273189

Shipyard: Conrad Orange

Shipyard

Hull #: H-484

Cargo Identificat	ion							Condi	tions of Carriage	
以"在大学",也有理论是是不是严重的。 (A. A. A							Vapor F	Recovery		
Name	Chem	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	VCS	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp.
Tetraethylene glycol	TTG	40	D	E	Type	A	Yes	1	151 General and Matis of	Period
Tetrahydronaphthalene	THN	32	D	E		Α	Yes	1		
Toluene	TOL	32	D	С		Α	Yes	1		
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	Е		Α	Yes	1		
Triethylbenzene	TEB	32	D	Е		Α	Yes	1		
Triethylene glycol	TEG	40	D	E		Α	Yes	1		
Triethyl phosphate	TPS	34	D	E		Α	Yes	1	A CONTRACTOR OF THE	
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes	1		
Trixylenyl phosphate	TRP	34	D	E		Α	Yes	1		
Undecene	UDC	30	D	D/E		Α	Yes	1		
1-Undecyl alcohol	UND	20	D	E		Α	Yes	1		
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes	1		



Department of Homeland Security **United States Coast Guard**

Serial #: Dated

C1-1500200

16-Jan-15

Certificate of Inspection

Cargo Authority Attachment

Shipyard: Conrad Orang

Hull #: H-484

Vessel Name: E2MS 100 Official #: 1273189

Page 8 of 8

Explanation of terms & symbols used in the Table:

Cargo Identification

The proper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

Chem Code

The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual Certain mixtures of cargoes may not have a CHRIS Code assigned.

Compatability Group No

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150,130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number.

Note 1 Note 2 Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility art. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart.

Subchapter Subchapter D Subchapter O Note 3

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified. Those flammable and combustible liquids listed in 46 CFR Table 30.25-1.

Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Grade

The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo

A, B, C D, E Note 4

lammable liquid cargoes, as defined in 46 CFR 30-10.22. Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the

cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid. No flammability/combustibility grade has been assigned yet as the necessary flash point/vapor pressure data for such assignments are presently not available.

NA Hull Type

NA

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1.

Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151.10-1(b)(1).

Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151.10-1(b)(3).

Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4)

Not applicable to barges certificated under Subchapter D.

Conditions of Carriage

Tank Group Vapor Recovery Approved (Y or N)

The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Tank Group Approved (Y or N) The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo.

Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo. No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

The specified cargo's provisional classification for vapor control systems.

Category 1

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) must use appropriate friction factors, vapor densities and vapor growth rates.

Category 2

(Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester

Category 3

(Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9. This requirement is in addition to the requirements of Category 1.

Category 4

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

Category 5

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This requirement is in addition to the requirements of Category 1.

Category 6 Category 7

(High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5. (High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5.

The cargo has not been evaluated/classified for use in vapor control systems