



Serial #:

C1-1701110 29-Mar-17

### Certificate of Inspection

Cargo Authority Attachment

Vessel Name: E2MS 307

Shipyard: TRINITY MARINE

PRODUCTS, INC.

Official #: 1277192

Tank Group Information	Cargo Identification				Cargo	Tanks			Cargo Transfer		Environmental Control		Fire	Special Requirements			
Tnk Grp Tanks in Group	Density	Press.	Temp.	Hull Typ	Seg Tank	Туре	Vent	Gauge	Pipe Class	Cont	Tanks	Handling Space	Protection Provided	General	Materials of Construction	Elec Haz	Temp
A #1 P/S, #2P/S, #3P/S	13.6	Atmos.	Amb.	Ш	1ii 2ii	Integral Gravity	PV	Closed	11	G-1	NR	NA	Portable	.50-60, .50-70(a), .50-70(b), .50-73, .50-81(a), .50- 81(b),	55-1(b), (c), (e), (f), (j), 56-1(a), (b), (c), (d), (e), (f), (g),	NR	No

Notes: 1. Under Environmental Control, Tanks, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo tanks.

List of Authorized Cargoes

Cargo Identificatio		Conditions of Carriage								
		Compat					Vapor R	Recovery		
Name	Chem	Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd (Y or N)	VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of	Insp. Period
Authorized Subchapter O Cargoes										
Glyphosate solution (not containing surfactant)	GIO	7	D/O	E		Α	No	N/A		
Sodium acetate solution	SAN	34	D/O 3	#		Α	No	N/A		
Acetonitrile	ATN	37	0	С	Ш	Α	Yes	3	No	G
Acrylonitrile	ACN	15 <sup>2</sup>	0	С	П	Α	Yes	4	.50-70(a), .55-1(e)	G
Adiponitrile	ADN	37	0	E	П	А	Yes	1	No	G
Alkyl(C7-C9) nitrates	AKN	<b>34</b> <sup>2</sup>	0	NA	III	Α	No	N/A	.50-81, .50-86	G
Aminoethylethanolamine	AEE	8	0	E	Ш	Α	Yes	1	.55-1(b)	G
Ammonium bisulfite solution (70% or less)	ABX	43 2	0	NA	Ш	Α	No	N/A	.50-73, .56-1(a), (b), (c)	G
Ammonium hydroxide (28% or less NH3)	AMH	6	0	NA	Ш	Α	No	N/A	.56-1(a), (b), (c), (f), (g)	G
Anthracene oil (Coal tar fraction)	АНО	33	0	NA	П	Α	No	N/A	No	G
Benzene	BNZ	32	0	С	Ш	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (having 10% Benzene or more)	внв	32 <sup>2</sup>	0	С	Ш	Α	Yes	1	.50-60	G
Benzene or hydrocarbon mixtures (containing Acetylene and 10% Benzene or more)	ВНА	<b>32</b> <sup>2</sup>	0	С	111	Α	Yes	1	.50-60, .56-1(b), (d), (f), (g)	G
Benzene, Toluene, Xylene mixtures (10% Benzene or more)	BTX	32	0	B/C	Ш	. ^A	Yes	1	.50-60	G
Butyl acrylate (all isomers)	BAR	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyl methacrylate	вмн	14	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G
Butyraldehyde (all isomers)	BAE	19	0	С	111	Α	Yes	1	.55-1(h)	G
Camphor oil (light)	CPO	18	0	D	П	Α	No	N/A	No	G
Carbon tetrachloride	CBT	36	0	NA	111	Α	No	N/A	No	G
Caustic potash solution	CPS	5 2	0	NA	III	Α	No	N/A	.50-73, .55-1(j)	G
Caustic soda solution	CSS	5 2	0	NA	111	Α	No	N/A	.50-73, .55-1(j)	G
Chemical Oil (refined, containing phenolics)	COD	21	0	Е	11	Α	No	N/A	.50-73	G
Chlorobenzene	CRB	36	0	D	111	Α	Yes	1	No	G
Chloroform	CRF	36	0	NA	111	Α	Yes	3	No	G
Coal tar naphtha solvent	NCT	33	0	D	111	Α	Yes	1	.50-73	G
Creosote	CCM	/ 21 2	0	Е	TII	Α	Yes	1	No	G
Cresols (all isomers)	CRS	21	0	Е	111	Α	Yes	1	No 🦸	G
Cresylate spent caustic	CSC	5	0	NA	111	Α	No	N/A	.50-73, .55-1(b)	G
Cresylic acid tar	CRX	21	0	Е	111	Α	Yes	1	.55-1(f)	G
Crotonaldehyde	CTA	19 <sup>2</sup>	0	С	П	Α	Yes	4	.55-1(h)	G
Crude hydrocarbon feedstock (containing Butyraldehydes and Ethylpropyl acrolein)	CHG	19 <sup>2</sup>	0	С	111	Α	Yes	1	No	G

<sup>\*\*\*</sup> This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. \*\*\*

<sup>2.</sup> Under Environmental Control, Handling Space, NR means that the tank group is suitable only for those cargoes which require no environmental control in the cargo handling space. NA means that the vessel does not have a cargo control space, and this requirement is not applied.

<sup>3.</sup> Under Electrical Hazard Class, NA means that the tank group is suitable only for those cargoes which have no electrical hazard class requirement. NR means that the vessel has no electrical



Serial #: C1-1701110

29-Mar-17

## Certificate of Inspection

#### Cargo Authority Attachment

Vessel Name: E2MS 307

Shipyard: TRINITY MARINE

PRODUCTS, INC.

Official #: 1277192

Page 2 of 8

Cargo Identification	n					Conditions of Carriage							
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period			
Cyclohexanone	ССН	18	0	D	III	А	Yes	1	.56-1(a), (b)	G			
Cyclohexanone, Cyclohexanol mixture	CYX	18 <sup>2</sup>	0	Е	111	А	Yes	1	.56-1 (b)	G			
Cyclohexylamine	CHA	7	0	D	111	Α	Yes	1	.56-1(a), (b), (c), (g)	G			
Cyclopentadiene, Styrene, Benzene mixture	CSB	30	0	D	Ш	Α	Yes	1	.50-60, .56-1(b)	G			
iso-Decyl acrylate	IAI	14	0	E	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b), .55-1(c)	G			
Dichlorobenzene (all isomers)	DBX	36	0	Е	111	Α	Yes	3	.56-1(a), (b)	G			
1,1-Dichloroethane	DCH	36	0	С	111	Α	Yes	1	No	G			
2,2'-Dichloroethyl ether	DEE	41	0	D	Ш	А	Yes	1	.55-1(f)	G			
Dichloromethane	DCM	36	0	NA	III	Α	Yes	5	No	G			
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	DDE	43	0	Е	111	Α	No	N/A	.56-1(a), (b), (c), (g)	G			
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	DAD	0 1	2 0	Α	III	Α	No	N/A	.56-1(a), (b), (c), (g)	G			
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	DTI	43 <sup>2</sup>		Е	111	Α	No	N/A	.56-1(a), (b), (c), (g)	G			
1,1-Dichloropropane	DPB	36	0	С	Ш	Α	Yes	3	No	G			
1,2-Dichloropropane	DPP	36	0	С	111	A	Yes	3	No	G			
1,3-Dichloropropane	DPC	36	0	С	III	A	Yes	3	No	G			
1,3-Dichloropropene	DPU	15	0	D	11	A	Yes	4	No	G			
Dichloropropene, Dichloropropane mixtures	DMX	15	0	С	11	A	Yes	1	No	G			
Diethanolamine	DEA	8	0	E	111	A	Yes	1	.55-1(c)	G			
Diethylamine	DEN	7	0	С	111	A	Yes	3	.55-1(c)	G			
Diethylenetriamine	DET	7 2		E	III	A	Yes	1	.55-1(c)	G			
Production of the second of th	DBU	7	0	D	111			3	.55-1(c)	G			
Diisobutylamine	DIP	8	0	E	III	A	Yes	1	.55-1(c)				
Diisopropanolamine  Diisopropulamine	DIA	7	0	C			Yes		.55-1(c)	G			
Diisopropylamine N.N. Dimethylasetemide			0		Ш	A	Yes	3	.56-1(b)	G			
N,N-Dimethylacetamide	DAC	10		E	111	A	Yes	3		G			
Dimethylethanolamine	DMB	8	0	D	III	A	Yes	1	.56-1(b), (c)				
Dimethylformamide	DMF	10	0	D		Α .	Yes	1	.55-1(e)	G			
Di-n-propylamine	DNA	7	0	C	11	A	Yes	3	.55-1(c)	G			
Dodecyldimethylamine, Tetradecyldimethylamine mixture	DOT	7	0	E	111	Α .	No	N/A	.56-1(b)	G			
EE Glycol Ether Mixture	EEG	40	0	D	Ш	. A	No	N/A	No	G			
Ethanolamine	MEA	8	0	E	III	• A	Yes	1	.55-1(c)	G			
Ethyl acrylate	EAC	14	0	С	111	Α	Yes		.50-70(a), .50-81(a), (b)	G			
Ethylamine solution (72% or less)	EAN	7	0	Α	11	Α	Yes	6	.55-1(b)	G			
N-Ethylbutylamine	EBA	7	0	D	III	Α	Yes	3	.55-1(b)	G			
N-Ethylcyclohexylamine	ECC	7	0	D	Ш	Α	Yes	1	.55-1(b)	G			
Ethylene cyanohydrin	ETC	20	0	Е	111	Α	Yes	1	No	G			
Ethylenediamine	EDA	7 2	0	D	Ш	Α	Yes	1	.55-1(c)	G			
Ethylene dichloride	EDC	<b>36</b> <sup>2</sup>	0	С	111	Α	Yes	1	No	G			
Ethylene glycol hexyl ether	EGH	40	0	E	Ш	Α	No	N/A	No	G			
Ethylene glycol monoalkyl ethers	EGC	40	0	D/E	Ш	Α	Yes	1	No	G			
Ethylene glycol propyl ether	EGP	40	0	E	Ш	Α	Yes	1	No	G			
2-Ethylhexyl acrylate	EAI	14	0	E	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G			
Ethyl methacrylate	ETM	14	0	D/E	Ш	Α	Yes	2	.50-70(a)	G			
2-Ethyl-3-propylacrolein	EPA	19 <sup>2</sup>	0	Е	III	Α	Yes	1	No	G			
Formaldehyde solution (37% to 50%)	FMS	19 <sup>2</sup>	0	D/E	111	Α	Yes	1	.55-1(h)	G			
Furfural	FFA	19	0	D	Ш	А	Yes	1	.55-1(h)	G			
Glutaraldehyde solution (50% or less)	GTA	19	0	NA	Ш	А	No	N/A	No	G			
Hexamethylenediamine solution	НМС	7	0	Е	Ш	Α	Yes	1	.55-1(c)	G			
Hexametrylenediamine solution		- C.	-	_	1111	$\sim$	163	-1	.55 1(5)	-			

<sup>\*\*\*</sup> This document is only valid when attached to, and referenced by a current, valid Certificate of Inspection. \*\*\*

C1-1701110

### Certificate of Inspection

#### Cargo Authority Attachment

Vessel Name: E2MS 307

Shipyard: TRINITY MARINE PRODUCTS, INC.

Cargo Identification						Conditions of Carriage							
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor R App'd (Y or N)	VCS	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp Perio			
lydrocarbon 5-9	HFN	31	0	С	Ш	Α	Yes	1	.50-70(a), .50-81(a), (b)	G			
soprene	IPR	30	0	Α	Ш	Α	Yes	7	.50-70(a), .50-81(a), (b)	G			
soprene, Pentadiene mixture	IPN	30	0	В	Ш	Α	No	N/A	.50-70(a), .55-1(c)	G			
refrequency (free alkali content 3% or more)(including: Black, freen, or White liquor)		5	0	NA	Ш	Α	No	N/A	.50-73, .56-1(a), (c), (g)	G			
Mesityl oxide	MSO	18 2	0	D	111	Α	Yes	1	No	G			
Methyl acrylate	MAM	14	0	С	111	Α	Yes	2	.50-70(a), .50-81(a), (b)	G			
Methylcyclopentadiene dimer	MCK	30	0	С	Ш	Α	Yes	1	No	G			
Methyl diethanolamine	MDE	8	0	Е	Ш	Α	Yes	1	.56-1(b), (c)	G			
!-Methyl-5-ethylpyridine	MEP	9	0	Ε	Ш	Α	Yes	1	.55-1(e)	G			
Methyl methacrylate	MMN		0	С	111	А	Yes	2	.50-70(a), .50-81(a), (b)	G			
•	MPR		0	D	Ш	Α	Yes		.55-1(c)	G			
2-Methylpyridine	MSR		0	D	III	Α	Yes		.50-70(a), .50-81(a), (b)	G			
Ilpha-Methylstyrene	MPL	7 2		D	111	A	Yes		.55-1(c)	G			
Morpholine	NTE	42	0			A	No	N/A	90 97	G			
Vitroethane			0	D	111	A	Yes		.50-81	G			
- or 2-Nitropropane	NPM								.50-70(a), .50-81	G			
,3-Pentadiene	PDE	30	0	A	111	A	Yes	N/A		G			
Perchloroethylene	PER	36	0	NA	111	A	No		.55-1(e)	G			
Polyethylene polyamines	PEB	7 -		E	III	Α .	Yes			G			
so-Propanolamine	MPA		0	Е	111	Α	Yes		.55-1(c)	G			
Propanolamine (iso-, n-)	PAX	8	0	Е	Ш	Α	Yes		.56-1(b), (c)				
so-Propylamine	IPP	7	0	А	11	Α	Yes		.55-1(c)	G			
Pyridine	PRD	9	0	С	III	Α	Yes		.55-1(e)	G			
Sodium acetate, Glycol, Water mixture (3% or more Sodium Hydroxide)	SAP	5	. 0		Ш	А	No	N/A		G			
Sodium aluminate solution (45% or less)	SAU	5	0	NA	111	Α	No	N/A		G			
Sodium chlorate solution (50% or less)	SDD	0	1,2 0	NA	Ш	Α	No	N/A	.50-73	G			
Sodium hypochlorite solution (20% or less)	SHQ	5	0	NA	111	Α	No	N/A	.50-73, .56-1(a), (b)	G			
Sodium sulfide, hydrosulfide solution (H2S 15 ppm or less)	SSH	0	1,2 0	NA	Ш	Α	Yes	1	.50-73, .55-1(b)	G			
Sodium sulfide, hydrosulfide solution (H2S greater than 15 ppm but ess than 200 ppm)	SSI	0	1,2 0	NA	Ш	· A	No	N/A		G			
Sodium sulfide, hydrosulfide solution (H2S greater than 200 ppm)	SSJ	0	1,2 O	NA	11	Α	No	N/A	.50-73, .55-1(b)	G			
Styrene (crude)	STX	30	0	D	Ш	Α	Yes	2	No	G			
Styrene monomer	STY	30	0	D	Ш	Α	Yes	2	.50-70(a), .50-81(a), (b)	G			
1,1,2,2-Tetrachloroethane	TEC	36	0	NA	Ш	Α	No	N/A	\ No	G			
Tetraethylenepentamine	TTP	7	0	Ε	Ш	Α	Yes	1	.55-1(c)	G			
Tetrahydrofuran	THE	41	0	С	Ш	Α	Yes	1	.50-70(b)	G			
1,2,4-Trichlorobenzene	ТСВ	36	0	Е	Ш	Α	Yes	1	No	G			
1,1,2-Trichloroethane	TCM		0	NA	Ш	Α	Yes	1	.50-73, .56-1(a)	G			
Trichloroethylene	TCL		2 0	NA	Ш	Α	Yes	3 1	No	G			
1,2,3-Trichloropropane	TCN		0	Е	П	Α	Yes	3	.50-73, .56-1(a)	G			
Triethanolamine	TEA		and the same of th	E	III	Α	Yes		.55-1(b)	G			
Triethylamine	TEN			C	П	Α	Yes		.55-1(e)	G			
Triethylenetetramine	TET			E	111	A	Yes		.55-1(b)	G			
	TPB		0	NA	111	A	No	, , N/A	,56-1(a), (b), (c)	G			
Triphenylborane (10% or less), caustic soda solution	TSP		0	NA	III	A	No	N/A	•	G			
Trisodium phosphate solution			0	NA	111	A	No	N/A		G			
Urea, Ammonium nitrate solution (containing more than 2% NH3)	UAS							N/A		G			
Vanillin black liquor (free alkali content, 3% or more).	VBL		0	NA C	111	A	No Yes		.50-70(a), .50-81(a), (b)	G			

Ce

oast Guard Dated:

# Certificate of Inspection Cargo Authority Attachment

Vessel Name: E2MS 307

Official #: 1277192

Page 4 of 8

Shipyard: TRINITY MARINE PRODUCTS, INC.

C1-1701110

29-Mar-17

Cargo Identification	า					Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Perio		
/inyl neodecanate	VND	13	0	Е	Ш	Α	No	N/A	.50-70(a), .50-81(a), (b)	G		
/inyltoluene	VNT	13	0	D	Ш	Α	Yes	2	.50-70(a), .50-81, .56-1(a), (b), (c), (	G		
ubchapter D Cargoes Authorized for Vapor Contro	ol											
Acetone	ACT	18 <sup>2</sup>	D	С		Α	Yes	1				
Acetophenone	ACP	18	D	Е		Α	Yes					
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylates	AEB	20	D	E		Α	Yes	1				
Amyl acetate (all isomers)	AEC	34	D	D		Α	Yes	1				
Amyl alcohol (iso-, n-, sec-, primary)	AAI	20	D	D		Α	Yes	1				
Benzyl alcohol	BAL	21	D	Е		Α	Yes	1				
Butyl acetate (all isomers)	BAX	34	D	D		Α	Yes	1				
Butyl alcohol (iso-)	IAL	20 2	2 D	D		Α	Yes	1				
Butyl alcohol (n-)	BAN	20 2	2 D	D		Α	Yes	1				
Butyl alcohol (sec-)	BAS	20 2	2 D	С		Α	Yes	1				
Butyl alcohol (tert-)	BAT	20 2	2 D	С		Α	Yes	1				
Butyl benzyl phthalate	BPH	34	D	Е		Α	Yes	1				
Butyl toluene	BUE	32	D	D		Α	Yes	1				
Caprolactam solutions	CLS	22	D	Е		Α	Yes	1				
Cyclohexane	СНХ	31	D	С		Α	Yes	1				
Cyclohexanol	CHN	20	D	Е		Α	Yes	1				
1,3-Cyclopentadiene dimer (molten)	CPD	30	, D	D/E		Α	Yes	2				
p-Cymene	CMF	32	D	D		Α	Yes	1				
iso-Decaldehyde	IDA	19	D	Е		А	Yes	1				
n-Decaldehyde	DAL	19	D	Е		А	Yes	1				
Decene	DCE	30	D	D		Α	Yes	1				
Decyl alcohol (all isomers)	DAX		2 D	Е		• A	Yes	1				
n-Decylbenzene, see Alkyl(C9+)benzenes	DBZ		D	E		Α	Yes	1				
Diacetone alcohol	DAA			D		Α	Yes					
ortho-Dibutyl phthalate	DPA		D	E		А	Yes					
Diethylbenzene	DEE		D	D		Α	Yes					
	DEC			E		A	Yes					
Diethylene glycol	DBL		_ D	С		A	Yes					
Diisobutylene			D	D			Yes					
Diisobutyl ketone	DIK	18 32	D	E		A	Yes					
Diisopropylbenzene (all isomers)	DIX		D	E		A	Yes					
Dimethyl phthalate	DOF			E		A	Yes					
Dioctyl phthalate			D						•			
Dipentene	DPN		D	D D	_	Α	Yes					
Diphenyl	DIL	32	D	D/E		A	Yes					
Diphenyl, Diphenyl ether mixtures	DDC		D	E		A	Yes					
Diphenyl ether		41	D	{E}		Α	Yes	3 1				



Serial #: C1-1701110 Dated:

29-Mar-17

### Certificate of Inspection

#### Cargo Authority Attachment

Vessel Name: E2MS 307 Official #: 1277192

Page 5 of 8

Shipyard: TRINITY MARINE PRODUCTS, INC.

Cargo Identification								Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Distillates: Flashed feed stocks	DFF	33	D	E	<u> </u>	А	Yes	1		
Distillates: Straight run	DSR	33	D	Е		Α	Yes	1		
Dodecene (all isomers)	DOZ	30	D	D		Α	Yes	1		
Dodecylbenzene, see Alkyl(C9+)benzenes	DDB	32	D	Е		А	Yes	1		
2-Ethoxyethyl acetate	EEA	34	D	D		Α	Yes	1		
Ethoxy triglycol (crude)	ETG	40	D	Е		Α	Yes	1		
Ethyl acetate	ETA	34	D	С		А	Yes	1		
Ethyl acetoacetate	EAA	34	D	Е		Α	Yes	1		
Ethyl alcohol	EAL	20	2 D	С		А	Yes	1		
Ethylbenzene	ETB	32	D	С		Α	Yes	1		
Ethyl butanol	EBT	20	D	D		Α	Yes	1		
Ethyl tert-butyl ether	EBE	41	D	С		Α	Yes			
Ethyl butyrate	EBR	34	D	D		А	Yes			
Ethyl cyclohexane	ECY	31	D	D		Α	Yes			
Ethylene glycol	EGL	20	2 D	Е		Α	Yes			
Ethylene glycol butyl ether acetate	EMA	50000	D	E		Α	Yes			
Ethylene glycol diacetate	EGY	34	D	Е		Α	Yes			
Ethylene glycol phenyl ether	EPE	40	D	Е		Α	Yes			
Ethyl-3-ethoxypropionate	EEP	34	D	D		Α	Yes			
2-Ethylhexanol	EHX	20	D	E		Α	Yes			
Ethyl propionate	EPR	34	. D	С		Α	Yes			
Ethyl toluene	ETE	32	D	D		Α	Yes			
Formamide	FAM		D	Е		Α	Yes			
Furfuryl alcohol	FAL	20		E		Α	Yes			
Gasoline blending stocks: Alkylates	GAK		D	A/C		- A	Yes			
Gasoline blending stocks: Reformates	GRF		D	A/C		A	Yes			
Gasolines: Automotive (containing not over 4.23 grams lead per gallon)	GAT	33	D	С		Α	Yes			
Gasolines: Aviation (containing not over 4.86 grams of lead per gallon	) GAV	33	D	С		Α	Yes	1		
Gasolines: Casinghead (natural)	GCS	33	D	A/C		Α	Yes			
Gasolines: Polymer	GPL	33	D	A/C		Α	Yes			
Gasolines: Straight run	GSR		D	A/C		A	Yes			
Glycerine	GCR			Е		Α	Yes			
Heptane (all isomers), see Alkanes (C6-C9) (all isomers)	НМХ		D	С		Α	Yes			
Heptanol (all isomers)	HTX		D	D/E		Α	Yes			
Heptene (all isomers)	HPX		D	С		Α	Yes			
Heptyl acetate	HPE		D	Е		Α	Yes		4	
Hexane (all isomers), see Alkanes (C6-C9)	HXS			B/C		Α	Yes			
Hexanoic acid	нхо		D	Е		Α	Yes			
Hexanol	HXN		D	D		Α	Yes			
Hexene (all isomers)	HEX		D	С		Α	Yes			
*	, \					,,	100			



C1-1701110 29-Mar-17

### Certificate of Inspection

#### Cargo Authority Attachment

Vessel Name: E2MS 307

Shipyard: TRINITY MARINE PRODUCTS, INC.

Hull #: 5270

Official #: 1277192

Page 6 of 8

Cargo Identification	n						(	Condi	tions of Carriage	
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	App'd	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period
Hexylene glycol	HXG	20	D	E		A	Yes	1		
Isophorone	IPH	18 2	D	Е		А	Yes	1		
Jet fuel: JP-4	JPF	33	D	Е		А	Yes	1		
Jet fuel: JP-5 (kerosene, heavy)	JPV	33	D	D		Α	Yes	1		
Kerosene	KRS	33	D	D		А	Yes	1		
Methyl acetate	MTT	34	D	D		А	Yes	1		
Methyl alcohol	MAL	20 2	. D	С		Α	Yes	1		
Methylamyl acetate	MAC	34	D	D		Α	Yes	1		
Methylamyl alcohol	MAA	20	D	D		Α	Yes	1		
Methyl amyl ketone	MAK	18	D	D		Α	Yes	1		
Methyl tert-butyl ether	MBE	41 2	D	С		Α	Yes	1		
Methyl butyl ketone	MBK	18	D	С		Α	Yes	1		
Methyl butyrate	MBU	34	D	С		Α	Yes	1		
Methyl ethyl ketone	MEK	18 2	D	С		Α	Yes	1		
Methyl heptyl ketone	MHK	18	D	D		А	Yes	1		
Methyl isobutyl ketone	MIK	18 2	D	С		А	Yes	1		
Methyl naphthalene (molten)	MNA	32	D	Е		Α	Yes	1		
Mineral spirits	MNS	33	D	D		Α	Yes	1		
Myrcene	MRE	30	D	D		Α	Yes	1		
Naphtha: Heavy	NAG	33	D	#		A	Yes	1		
Naphtha: Petroleum	PTN	33	D	#		Α	Yes	1		
Naphtha: Solvent	NSV	33	D	D		Α	Yes	1		
Naphtha: Stoddard solvent	NSS	33	D	D		Α	Yes	1		
Naphtha: Varnish makers and painters (75%)	NVM	33	D	С		Α	Yes	1		
Nonane (all isomers), see Alkanes (C6-C9)	NAX	31	D	D		- A	Yes	1		
Nonene (all isomers)	NON	30	D	D		<b>A</b>	Yes	2		
Nonyl alcohol (all isomers)	NNS	20 2	D	Е		Α	Yes	1		
Nonyl phenol	NNP	21	D	Е		Α	Yes	1		
Nonyl phenol poly(4+)ethoxylates	NPE	40	D	Е		Α	Yes	1		
Octane (all isomers), see Alkanes (C6-C9)	OAX	31	D	С		Α	Yes	1		
Octanoic acid (all isomers)	OAY	4	D	E		А	Yes	1		
Octanol (all isomers)	OCX	20 2	D	E		А	Yes	1		
Octene (all isomers)	OTX	30	D	С		Α	Yes	2		
Oil, fuel: No. 2	OTW	33	D	D/E		А	Yes	1		
Oil, fuel: No. 2-D	OTD	33	D	D		А	Yes	1		
Oil, fuel: No. 4	OFR	33	D	D/E		А	Yes	1	4	
Oil, fuel: No. 5	OFV	33	D	D/E		Α	Yes	1	*	
Oil, fuel: No. 6	OSX	33	D	Е		А	Yes	1		
Oil, misc: Crude	OIL	33	D	A/D		Α	Yes	1		
Oil, misc: Diesel	ODS	33	D	D/E		Α	Yes	1		



Serial #: *C1-1701110* Dated: 29-*Mar-17* 

### Certificate of Inspection

#### Cargo Authority Attachment

Vessel Name: **E2MS 307**Official #: 1277192

Page 7 of 8

Shipyard: TRINITY MARINE PRODUCTS, INC.

Cargo Identifica	tion					Conditions of Carriage						
Name	Chem Code	Compat Group No	Sub Chapter	Grade	Hull Type	Tank Group	Vapor F App'd (Y or N)	Recovery VCS Category	Special Requirements in 46 CFR 151 General and Mat'ls of Construction	Insp. Period		
Oil, misc: Gas, high pour	OGP	33	D	Е		Α	Yes	1				
Oil, misc: Lubricating	OLB	33	D	Е		Α	Yes	1				
Oil, misc: Residual	ORL	33	D	Е		А	Yes	1				
Oil, misc: Turbine	ОТВ	33	D	Е		Α	Yes	1				
Pentane (all isomers)	PTY	31	D	Α		Α	Yes	5				
Pentene (all isomers)	PTX	30	D	Α		Α	Yes	5				
n-Pentyl propionate	PPE	34	D	D		Α	Yes	1				
alpha-Pinene	PIO	30	D	D		Α	Yes	1				
beta-Pinene	PIP	30	D	D		А	Yes	1				
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	PAG	40	D	Е		А	Yes	1				
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether acetate	PAF	34	D	Е		Α	Yes	1				
Polybutene	PLB	30	D	Е		Α	Yes	1				
Polypropylene glycol	PGC	40	D	Е		Α	Yes	1				
iso-Propyl acetate	IAC	34	D	С		Α	Yes	1				
n-Propyl acetate	PAT	34	D	С		А	Yes	1				
iso-Propyl alcohol	IPA	20	2 D	С		Α	Yes	1				
n-Propyl alcohol	PAL	20	2 D	С		Α	Yes	1				
Propylbenzene (all isomers)	PBY	32	D	D		Α	Yes	1				
iso-Propylcyclohexane	IPX	31	D	D		А	Yes	1				
Propylene glycol	PPG	20	2 D	Е		А	Yes	1				
Propylene glycol methyl ether acetate	PGN	34	. D	D		А	Yes	1				
Propylene tetramer	PTT	30	D	D		А	Yes	1				
Sulfolane	SFL	39	D	Е		Α	Yes	1				
Tetraethylene glycol	TTG	40	D	Е		Α	Yes	1				
Tetrahydronaphthalene	THN	32	D	Е		- A	Yes	1				
Toluene .	TOL	32	D	С		A	Yes	1				
Tricresyl phosphate (less than 1% of the ortho isomer)	TCP	34	D	Е		А	Yes	1				
Triethylbenzene	TEB	32	D	Е		А	Yes	1				
Triethylene glycol	TEG	40	D	Е		А	Yes	1				
Triethyl phosphate	TPS	34	D	Е		Α	Yes					
Trimethylbenzene (all isomers)	TRE	32	D	{D}		Α	Yes					
Trixylenyl phosphate	TRP	34	D	E		А	Yes	1				
Undecene	UDC	30	D	D/E		Α	Yes					
1-Undecyl alcohol	UND		D	E		Α	Yes					
Xylenes (ortho-, meta-, para-)	XLX	32	D	D		Α	Yes					



Certificate of Inspection

C1-1701110 Serial #: Dated:

29-Mar-17

### Cargo Authority Attachment

Page 8 of 8

Shipyard: TRINITY MARI

Hull #: 5270

#### Explanation of terms & symbols used in the Table:

Cargo Identification

Note 1 Note 2

Subchapter O

Note 3

Note 4 NA

Hull Type

NA

Name

Vessel Name: E2MS 307

Official #: 1277192

The propper shipping name as listed in 46 CFR Table 30.25-1, 46 CFR Table 151.05, and 46 CFR Part 153 Table 2.

Chem Code The three letter designation assigned to the cargo in the Chemical Hazards Response Information System (CHRIS) Manual.

Certain mixtures of cargoes may not have a CHRIS Code assigned.

The cargo reactive group number assigned for compatibility determinations in 46 CFR Part 150 Tables I and II. In accordance with 46 CFR 150.130, the Person-in-Charge of the barge is responsible for ensuring that the compatibility requirements of 46 CFR Part 150 are met. Cargoes must be checked for compatibility using the figures, tables, and appendices of 46 CFR 150 in conjunction with the assigned reactive group number. Compatability Group No.

Because of the very high reactivity or unusual conditions of carriage or potential compatibility problems, this product is not assigned to a specific group in the Compatibility art. For additional compatibility information, contact Commandant (CG-3PSO-3), U.S. Coast Guard, 2100 Second Street, SW, Washington, DC 20593-0001. Telephone (202) 372-1425

See Appendix I to 46 CFR Part 150 - exceptions to the compatability chart

The subchapter in Title 46 Code of Federal Regulations under which the cargo has been classified Those flammable and combustible liquids listed in 46 CFR Table 30.25-1. Those hazardous cargoes listed in 46 CFR Table 151.05 and 46 CFR Part 153 Table 2. Subchapter Subchapter D

Those cargoes listed in 46 CFR Part 153 Table 2 are non-regulated cargoes when carried in bulk on non-oceangoing barges.

Grade The cargo classification assigned to each flammable or combustible liquid. Grades inside of "{ }" indicate a provisional assignment based upon literature sources which were not verified by manufacturers data. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of

that grade of cargo. A, B, C D, E Combustible liquid cargoes, as defined in 46 CFR 30-10.15.

The flammability/combustibility grade of these cargoes may vary depending upon the flashpoint and Reid vapor pressure. The Person-in-Charge shall verify the cargo grade based on Manufacturers data and ensure that the barge is authorized for carriage of that grade of cargo.

Those subchapter O cargoes which are not classified as a flammable or combustible liquid.

No flammability/combustibility grade has been assigned yet, as the necessary flash point/vapor pressure data for such assignments are presently not available

The required barge hull classification for carriage of the specified Subchapter O hazardous material cargo, see 46 CFR 151.10-1. Designed to carry products which require the maximum preventive measures to preclude the uncontrolled release of the cargo. See 46 CFR 151,10-1(b)(1). Designed to carry products which require significant preventive measures to preclude the uncontrolled release of cargo. See 46 CFR 151,10-1(b)(3). Designed to carry products of sufficeint hazard to require a moderate degree of control. See 46 CFR 151.10-1(b)(4)

Conditions of Carriage

Tank Group The vessel's tank group (as defined in Section 4) which is authorized for carriage of the named cargo

Not applicable to barges certificated under Subchapter D.

Vapor Recovery Approved (Y or N) Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo.

Conditions of Carriage

Category 4

Tank Group

The vessel's tank group (as defined under the "46 CFR Tank Group Characteristics" listed on page 1) which is authorized for carriage of the named cargo

Vapor Recovery Approved (Y or N) Yes: The vessel's VCS has been reviewed and approved by the MSC to control vapors of the specified cargo

No: The vessel's VCS has been reviewed and is not approved by the MSC to control vapors of the specified cargo VCS Category The specified cargo's provisional classification for vapor control systems.

(Polymerizes and highly toxic) Must comply with requirements of Categories 1, 2 and 3.

(No additional VCS requirements above those for benzene, gasolines and crude oil) All requirements applying to the handling of oil and hazardous materials in Titles 33 and 46 Code of Federal Regulations (CFR) apply to these cargoes. Those specifically dealing with vapor control systems are in 33 CFR 155.750, 33 CFR 156.120, 33 CFR 156.170, 46 CFR 35.35 and 46 CFR 39. The cargo tank venting system calculations (46 CFR 39.20-11) and the pressure drop calculations (46 CFR 39.30-1(b)) Category 1

must use appropriate friction factors, vapor densities and vapor growth rates

Category 2 (Polymerizes) Polymerization and residue build-up of these cargoes can adversely affect the vessel by fouling safety componenets and restricting vapor flow which could lead to cargo tank overpressurization. The vessel's owner must develop a method of ensuring all VCS safety components are functional and polymer build-up is not causing an unsafe condition due to increased pressure in the vapor control piping and cargo tanks. The method shall be acceptable to the local Officer in Charge, Marine

Inspection. This is in addition to the requirements of Category 1. Please note that a material not normally considered a monomer can be a problem in detonation arrester Category 3 (Highly toxic) VCSs for these toxic cargoes cannot use a spill valve or rupture disk as the primary means to meet the overfill protection requirement of 46 CFR 39.20-9

This requirement is in addition to the requirements of Category 1

(High vapor pressure) VCS pressure drop calculations for cargoes with a vapor pressure greater than 14.7 psia at 115 F must take into account increased vapor-air mixture densities and vapor growth rates as compared to Category 1 cargoes. Consult the Marine Safety Center's VCS Guidelines for further information. This Category 5

requirement is in addition to the requirements of Category 1.

Category 6 (High vapor pressure and highly toxic) Must comply with requirements of Categories 1, 3 and 5 Category 7

(High vapor pressure and polymerizes) Must comply with requirements of Categories 1, 2 and 5 The cargo has not been evaluated/classified for use in vapor control systems. none